Certificate of Analysis

www.tocris.com

Product Name: Dibutyryl-cAMP, sodium salt

16980-89-5

Catalog No.: 1141 EC Number: 241-059-4 Batch No.: 37

Print Date: Oct 1st 2024

IUPAC Name:

 N^{6} , O^{2'}-Dibutyryl adenosine 3', 5'-cyclic monophosphate sodium salt


1. PHYSICAL AND CHEMICAL PROPERTIES

Batch Molecular Formula: Batch Molecular Weight: Physical Appearance: Solubility:

C₁₈H₂₃N₅NaO₈P.1¹/₂H₂O 518.39 White solid water to 100 mM DMSO to 100 mM Store at -20°C

Storage:

Batch Molecular Structure:



2. ANALYTICAL DATA

HPLC: ¹H NMR: Mass Spectrum: **Microanalysis:**

Shows 98.2% purity Consistent with structure Consistent with structure Carbon Hydrogen Nitrogen Theoretical 41.71 5.06 13.51 Found 41.12 4.96 13.36

Caution - Not Fully Tested • Research Use Only • Not For Human or Veterinary Use

bio-techne.com **North America** China **Europe Middle East Africa Rest of World** info@bio-techne.com Tel: (800) 343 7475 info.cn@bio-techne.com Tel: +44 (0)1235 529449 www.tocris.com/distributors Tel: +86 (21) 52380373 techsupport@bio-techne.com Tel:+1 612 379 2956

biotechne[®] TOCRIS

CAS Number:

biotechne TOCRIS

www.tocris.com

Print Date: Oct 1st 2024

Product Name: Dibutyryl-cAMP, sodium salt

16980-89-5 CAS Number:

Catalog No.: 1141 EC Number: 241-059-4 37

 N^{6} , O^{2'}-Dibutyryl adenosine 3', 5'-cyclic monophosphate sodium salt

Description:

IUPAC Name:

Dibutyryl-cAMP sodium salt is a cell-permeable analog of cAMP that activates cAMP-dependent protein kinases and is a phosphodiesterase inhibitor. Combined with other reagents, dibutyryl-cAMP promotes differentiation of neural stem/progenitor cells (NSPCs) and other cell lines and increases survival rates of NSPCs and differentiation into neurons in vivo. Promotes neurite outgrowth in cell cultures. Dibutyryl-cAMP has anti-inflammatory activity and is used to promote wound healing. Choline acetyltransferase and vesicular acetylcholine transporter mRNA are increased in cells treated with dibutyryl-cAMP.

Physical and Chemical Properties:

Batch Molecular Formula: C₁₈H₂₃N₅NaO₈P.1¹/₂H₂O Batch Molecular Weight: 518.39 Physical Appearance: White solid

Minimum Purity: ≥98%

Batch Molecular Structure:

Storage: Store at -20°C

Solubility & Usage Info:

water to 100 mM DMSO to 100 mM


Stability and Solubility Advice:

Some solutions can be difficult to obtain and can be encouraged by rapid stirring, sonication or gentle warming (in a 45-60°C water bath).

Information concerning product stability, particularly in solution, has rarely been reported and in most cases we can only offer a general guide. *Unless contradicted by product-specific protocols or instructions, our standard recommendations apply:

SOLIDS: Provided storage is as stated on the product label and the vial is kept tightly sealed, the product can be stored for up to 6 months from date of receipt.

SOLUTIONS: We recommend that stock solutions, once prepared, are stored aliquoted in tightly sealed vials at -20°C or below and used within 1 month. Wherever possible solutions should be made up and used on the same day.



References:

Xia et al (2016) Transcriptional comparison of human induced and primary midbrain DArgic neurons. Sci.Rep. 6 20270. PMID: 26842779.

Kim et al (2011) Effects of dibutyryl cyclic-AMP on survival and neuronal differentiation of neural stem/progenitor cells transplanted into spinal cord injured rats. PLoS One 6. PMID: 21738784.

Carranza et al (1998) Protein kinase A induces recruitment of active Na+,K+-ATPase units to the plasma membrane of rat proximal convoluted tubule cells. J.Physiol. 511 235. PMID: 9679177.

Caution - Not Fully Tested • Research Use Only • Not For Human or Veterinary Use

bio-techne.com	North America	China	Europe Middle East Africa	Rest of World
info@bio-techne.com techsupport@bio-techne.com	Tel: (800) 343 7475	info.cn@bio-techne.com Tel: +86 (21) 52380373	Tel: +44 (0)1235 529449	www.tocris.com/distributors Tel:+1 612 379 2956

