



# **Certificate of Analysis**

www.tocris.com

Batch No.: 41

Product Name: Dibutyryl-cAMP, sodium salt Catalog No.: 1141

CAS Number: 16980-89-5 EC Number: 241-059-4

IUPAC Name:  $N^6$ ,O<sup>2'</sup>-Dibutyryl adenosine 3',5'-cyclic monophosphate sodium salt

## 1. PHYSICAL AND CHEMICAL PROPERTIES

**Batch Molecular Formula:** C<sub>18</sub>H<sub>23</sub>N<sub>5</sub>NaO<sub>8</sub>P.1<sup>3</sup>/<sub>4</sub>H<sub>2</sub>O

**Batch Molecular Weight:** 522.89 **Physical Appearance:** White solid

**Solubility:** water to 100 mM

DMSO to 100 mM

Storage: Store at -20°C

**Batch Molecular Structure:** 

## 2. ANALYTICAL DATA

**HPLC:** Shows 98.6% purity

<sup>1</sup>H NMR: Consistent with structure

Mass Spectrum: Consistent with structure

Microanalysis: Carbon Hydrogen Nitrogen

Theoretical 41.35 5.11 13.39 Found 40.74 5.13 13.06

## **Product Information**

Print Date: Nov 27th 2025

www.tocris.com

Product Name: Dibutyryl-cAMP, sodium salt Catalog No.: 1141 Batch No.: 41

CAS Number: 16980-89-5 EC Number: 241-059-4

IUPAC Name:  $N^6$ ,  $O^2$ -Dibutyryl adenosine 3',5'-cyclic monophosphate sodium salt

## **Description:**

Dibutyryl-cAMP sodium salt is a cell-permeable analog of cAMP that activates cAMP-dependent protein kinases and is a phosphodiesterase inhibitor. Combined with other reagents, dibutyryl-cAMP promotes differentiation stem/progenitor cells (NSPCs) and other cell lines (see our protocol below) and increases survival rates of NSPCs and differentiation into neurons in vivo. Promotes neurite outgrowth in cell cultures. Dibutyryl-cAMP has anti-inflammatory activity promote wound and used healing. is to acetyltransferase and vesicular acetylcholine transporter mRNA are increased in cells treated with dibutyryl-cAMP. For more inform... Please see product specific page on www.tocris.com for full description.

#### **Physical and Chemical Properties:**

Batch Molecular Formula: C<sub>18</sub>H<sub>23</sub>N<sub>5</sub>NaO<sub>8</sub>P.1<sup>3</sup>/<sub>4</sub>H<sub>2</sub>O

Batch Molecular Weight: 522.89 Physical Appearance: White solid

Minimum Purity: ≥98%

#### **Batch Molecular Structure:**

Storage: Store at -20°C

## Solubility & Usage Info:

water to 100 mM DMSO to 100 mM

#### Stability and Solubility Advice:

Some solutions can be difficult to obtain and can be encouraged by rapid stirring, sonication or gentle warming (in a 45-60°C water bath).

Information concerning product stability, particularly in solution, has rarely been reported and in most cases we can only offer a general guide. \*Unless contradicted by product-specific protocols or instructions, our standard recommendations apply:

SOLIDS: Provided storage is as stated on the product label and the vial is kept tightly sealed, the product can be stored for up to 6 months from date of receipt.

SOLUTIONS: We recommend that stock solutions, once prepared, are stored aliquoted in tightly sealed vials at -20°C or below and used within 1 month. Wherever possible solutions should be made up and used on the same day.

#### References:

Xia et al (2016) Transcriptional comparison of human induced and primary midbrain DArgic neurons. Sci.Rep. 6 20270. PMID: 26842779.

Kim et al (2011) Effects of dibutyryl cyclic-AMP on survival and neuronal differentiation of neural stem/progenitor cells transplanted into spinal cord injured rats. PLoS One 6. PMID: 21738784.

Carranza et al (1998) Protein kinase A induces recruitment of active Na+,K+-ATPase units to the plasma membrane of rat proximal convoluted tubule cells. J.Physiol. *511* 235. PMID: 9679177.

Caution - Not Fully Tested • Research Use Only • Not For Human or Veterinary Use