biotechne[®] TOCRIS

Certificate of Analysis

www.tocris.com

Product Name: DAMGO

Catalog No.: 1171 Batch No.: 35

CAS Number: 78123-71-4 IUPAC Name: [D-Ala², NMe-Phe⁴, Gly-ol⁵]-enkephalin

1. PHYSICAL AND CHEMICAL PROPERTIES

	Batch Molecular Formula:	$C_{26}H_{35}N_5O_6$
	Batch Molecular Weight:	513.7
	Physical Appearance:	White lyophilised solid
	Counter Ion:	TFA
	Solubility:	Soluble to 2 mg/ml in water
	Storage:	Store at -20°C
	Peptide Sequence:	Tyr-D-Ala-Gly-NMe-Phe-Gly-ol
2.	ANALYTICAL DATA	
	HPLC:	Shows 98.7 % purity
	Mass Spectrum:	Consistent with structure
•		

3. AMINO ACID ANALYSIS DATA

Amino Acid Theoretical Actual Amino Acid Theoretical Actual

Ala	1.00	0.99	Lys		
Arg			Met		
Asx			Phe		
Cys			Pro		
Glx			Ser		
Gly	1.00	0.99	Thr		
His			Trp		
lle			Tyr	1.00	1.02
Leu			Val		

Caution - Not Fully Tested • Research Use Only • Not For Human or Veterinary Use

bio-techne.com	North America	China	Europe Middle East Africa	Rest of World
info@bio-techne.com techsupport@bio-techne.com	Tel: (800) 343 7475	info.cn@bio-techne.com Tel: +86 (21) 52380373	Tel: +44 (0)1235 529449	www.tocris.com/distributors Tel:+1 612 379 2956

biotechne[®] TOCRIS

35

www.tocris.com

Product Name: DAMGO

CAS Number: 78123-71-4 IUPAC Name: [D-Ala², NMe-Phe⁴, Gly-ol⁵]-enkephalin

Description:

DAMGO is a highly selective peptide agonist for the $\boldsymbol{\mu}$ opioid receptor.

Physical and Chemical Properties:

Batch Molecular Formula: C₂₆H₃₅N₅O₆ Batch Molecular Weight: 513.7 Physical Appearance: White Iyophilised solid

Peptide Sequence:

Tyr-D-Ala-Gly-NMe-Phe-Gly-ol

Storage: Store at -20°C

Solubility & Usage Info:

Soluble to 2 mg/ml in water

This product is supplied as a lyophilized solid and may be very hard to visualize. Solutions should be made by adding solvent directly to the vial. The vial should then be vortexed vigorously to ensure the product has completely dissolved.

Catalog No.: 1171

Counter Ion: TFA

Stability and Solubility Advice:

Some solutions can be difficult to obtain and can be encouraged by rapid stirring, sonication or gentle warming (in a 45-60°C water bath).

Peptides in solution are much less stable than in lyophilized form. This is especially true for peptides whose sequences contain amino acids such Cys, Met,Trp, Asn, Gln, and N-terminal Glu.

Therefore we recommend storing peptides in solution for as short a time as possible. Avoid repeated freeze thaw cycles by dividing the peptide solution into aliquots and storing the aliquots at -20°C. Any portion of an aliquot unused after thawing should be discarded.

Peptides stored in solution can occasionally be susceptible to bacterial degradation. We recommend using sterile solutions or passing the peptide solution through a 0.2 μ m filter to remove potential bacterial contamination whenever possible.

References:

Fang *et al* (1989) Opioid receptors (DAGO-enkephalin, dynorphin A(1-13), BAM 22P) microinjected into the rat brainstem: comparison of their antinociceptive effect and their effect on neuronal firing in the rostral ventromedial medulla. Brain Res. **501** 116. PMID: 2572306. **Hirning** *et al* (1985) Studies in vitro with ICI 174,864, [D-Pen²,D-Pen⁵]-enkephalin (DPDPE) and [D-Ala²,NMePhe⁴,Gly-ol]-enkephalin (DAGO). Neuropeptides **5** 383. PMID: 2987739.

Caution - Not Fully Tested • Research Use Only • Not For Human or Veterinary Use

bio-techne.com	North America	China	Europe Middle East Africa	Rest of World
info@bio-techne.com techsupport@bio-techne.com	Tel: (800) 343 7475	info.cn@bio-techne.com Tel: +86 (21) 52380373	Tel: +44 (0)1235 529449	www.tocris.com/distributors Tel:+1 612 379 2956