biotechne[®] **TOCRIS**

Certificate of Analysis

Print Date: Sep 20th 2023

Pepstatin A Product Name: CAS Number: 26305-03-3

Batch Molecular Formula:

Batch Molecular Weight:

Physical Appearance:

Solubility:

Storage:

Catalog No.: 1190 Batch No.: 26 EC Number: 247-600-0

 $C_{34}H_{63}N_5O_9$ 685.91 Off-white solid Soluble to 1 mg/ml in ethanol with gentle warming Store at -20°C Me. Me ΟН Мe 0 М ΗN ö Ö 'HO' ΗN HO Ο

2. ANALYTICAL DATA

HPLC:

Shows 98.3% purity

Caution - Not Fully Tested • Research Use Only • Not For Human or Veterinary Use

bio-techne.com	North America	China	Europe Middle East Africa	Rest of World
info@bio-techne.com techsupport@bio-techne.com	Tel: (800) 343 7475	info.cn@bio-techne.com Tel: +86 (21) 52380373	Tel: +44 (0)1235 529449	www.tocris.com/distributors Tel:+1 612 379 2956



Peptide Sequence:

1. PHYSICAL AND CHEMICAL PROPERTIES

www.tocris.com

biotechne TOCRIS

www.tocris.com

Pepstatin A Product Name:

26305-03-3 CAS Number:


Description:

Pepstatin A is an irreversible inhibitor of aspartic proteases. Inhibits lysosomal proteases and interferes with autolysosomal digestion when used in combination with E 64d (Cat. No. 4545).

Physical and Chemical Properties:

Batch Molecular Formula: C₃₄H₆₃N₅O₉ Batch Molecular Weight: 685.91 Physical Appearance: Off-white solid

Peptide Sequence:



Catalog No.: 1190 EC Number: 247-600-0 26

Storage: Store at -20°C

Solubility & Usage Info:

Soluble to 1 mg/ml in ethanol with gentle warming

This product is supplied as a lyophilized solid and may be very hard to visualize. Solutions should be made by adding solvent directly to the vial. The vial should then be vortexed vigorously to ensure the product has completely dissolved.

Stability and Solubility Advice:

Some solutions can be difficult to obtain and can be encouraged by rapid stirring, sonication or gentle warming (in a 45-60°C water bath).

Peptides in solution are much less stable than in lyophilized form. This is especially true for peptides whose sequences contain amino acids such Cys, Met, Trp, Asn, Gln, and N-terminal Glu.

Therefore we recommend storing peptides in solution for as short a time as possible. Avoid repeated freeze thaw cycles by dividing the peptide solution into aliquots and storing the aliquots at -20°C. Any portion of an aliquot unused after thawing should be discarded.

Peptides stored in solution can occasionally be susceptible to bacterial degradation. We recommend using sterile solutions or passing the peptide solution through a 0.2 µm filter to remove potential bacterial contamination whenever possible.

References:

Gacko et al (2007) Cathepsin D inhibitors. Folia Histochem.Cytobiol. 45 291. PMID: 18165168.

Sato et al (2007) Autophagy is activated in colorectal cancer cells and contributes to the tolerance to nutrient deprivation. Cancer Res. 67 9677. PMID: 17942897.

Mizuochi et al (1997) Both cathepsin B and cathepsin D are necessary for processing of ovalbumin as well as for degradation of class II MHC invariant chain. Immunol.Lett. 43 189. PMID: 7721331.

Caution - Not Fully Tested • Research Use Only • Not For Human or Veterinary Use

bio-techne.com	North America	China	Europe Middle East Africa	Rest of World
info@bio-techne.com techsupport@bio-techne.com	Tel: (800) 343 7475	info.cn@bio-techne.com Tel: +86 (21) 52380373	Tel: +44 (0)1235 529449	www.tocris.com/distributors Tel:+1 612 379 2956