


Product Name: GR 64349
CAS Number: 137593-52-3

Catalog No.: 1668 **Batch No.:** 11

1. PHYSICAL AND CHEMICAL PROPERTIES

Batch Molecular Formula: C₄₂H₆₈N₁₀O₁₁S
Batch Molecular Weight: 921.12
Physical Appearance: White lyophilised solid
Counter Ion: TFA
Solubility: Soluble to 1 mg/ml in water
Storage: Store at -20°C
Peptide Sequence: Lys-Asp-Ser-Phe-Val—NH



2. ANALYTICAL DATA

HPLC: Shows 98.5% purity
Mass Spectrum: Consistent with structure

3. AMINO ACID ANALYSIS DATA

Amino Acid		Theoretical	Actual	Amino Acid		Theoretical	Actual
Ala				Lys	1.00	0.98	
Arg				Met	1.00	1.00	
Asx	1.00	1.05	Phe	1.00	1.00		
Cys			Pro				
Glx			Ser	1.00	0.99		
Gly			Thr				
His			Trp				
Ile			Tyr				
Leu			Val	1.00	0.98		

Caution - Not Fully Tested • Research Use Only • Not For Human or Veterinary Use

Product Name: GR 64349
CAS Number: 137593-52-3

Catalog No.: 1668

11

Description:


GR 64349 is a potent and selective tachykinin NK₂ receptor agonist (EC₅₀ = 3.7 nM in rat colon). Displays > 1000- and > 300-fold selectivity over NK₁ and NK₃ receptors respectively. Active in vivo.

Physical and Chemical Properties:

Batch Molecular Formula: C₄₂H₆₈N₁₀O₁₁S
Batch Molecular Weight: 921.12
Physical Appearance: White lyophilised solid

Peptide Sequence:

Lys-Asp-Ser-Phe-Val—NH



Storage: Store at -20°C

Solubility & Usage Info:

Soluble to 1 mg/ml in water

This product is supplied in lyophilized form. It may appear as a solid, gel or film and be very hard to visualize. Solutions should be made by adding solvent directly to the vial. The vial should then be vortexed vigorously to ensure the product has completely dissolved.

Counter Ion: TFA

Stability and Solubility Advice:

Some solutions can be difficult to obtain and can be encouraged by rapid stirring, sonication or gentle warming (in a 45-60°C water bath).

Peptides in solution are much less stable than in lyophilized form. This is especially true for peptides whose sequences contain amino acids such as Cys, Met, Trp, Asn, Gln, and N-terminal Glu.

Therefore we recommend storing peptides in solution for as short a time as possible. Avoid repeated freeze thaw cycles by dividing the peptide solution into aliquots and storing the aliquots at -20°C. Any portion of an aliquot unused after thawing should be discarded.

Peptides stored in solution can occasionally be susceptible to bacterial degradation. We recommend using sterile solutions or passing the peptide solution through a 0.2 µm filter to remove potential bacterial contamination whenever possible.

Licensing Information:

Sold for research purposes under agreement from GlaxoSmithKline

References:

Chang et al (2000) Tachykinin receptor subtypes in the isolated guinea pig heart and their role in mediating responses to neurokinin A. *J.Pharmacol.Exp.Ther.* **294** 147. PMID: 10871306.

Chizh et al (1995) Endogenous modulation of excitatory amino acid responsiveness by tachykinin NK₁ and NK₂ receptors in the rat spinal cord. *Br.J.Pharmacol.* **115** 1013. PMID: 7582497.

Deal et al (1992) Conformationally constrained tachykinin analogues: potent and highly selective neurokinin NK-2 receptor agonists. *J.Med.Chem.* **35** 4195. PMID: 1331460.

Caution - Not Fully Tested • Research Use Only • Not For Human or Veterinary Use

bio-techne.com
info@bio-techne.com
techsupport@bio-techne.com

North America
Tel: (800) 343 7475

China
info.cn@bio-techne.com
Tel: +86 (21) 52380373

Europe Middle East Africa
Tel: +44 (0)1235 529449

Rest of World
www.tocris.com/distributors
Tel:+1 612 379 2956