

Certificate of Analysis

www.tocris.com

Product Name: Octreotide

Catalog No.: 1818

Batch No.: 6

CAS Number: 83150-76-9

1. PHYSICAL AND CHEMICAL PROPERTIES

Batch Molecular Formula:	C ₄₉ H ₆₆ N ₁₀ O ₁₀ S ₂
Batch Molecular Weight:	1019.24
Physical Appearance:	White lyophilised solid
Net Peptide Content:	86.5%
Counter Ion:	Acetate
Solubility:	Soluble to 1.20 mg/ml in water
Storage:	Desiccate at -20°C
Peptide Sequence:	 D-Phe-Cys-Phe-D-Trp-Lys-Thr-Cys-Thr-ol

2. ANALYTICAL DATA

HPLC:	Shows 99.5% purity
Mass Spectrum:	Consistent with structure

Caution - Not Fully Tested • Research Use Only • Not For Human or Veterinary Use

Product Name: Octreotide

Catalog No.: 1818

Batch No.: 6

CAS Number: 83150-76-9

Description:

Peptide agonist for sst₂, sst₃ and sst₅ somatostatin receptors. IC₅₀/K_d values (nM) at cloned human somatostatin receptors are: 290 - 1140 (sst₁), 0.4 - 2.1 (sst₂), 4.4 - 34.5 (sst₃), > 1000 (sst₄), and 5.6 - 32 (sst₅).


Physical and Chemical Properties:

Batch Molecular Formula: C₄₉H₆₆N₁₀O₁₀S₂

Batch Molecular Weight: 1019.24

Physical Appearance: White lyophilised solid

Peptide Sequence:



Storage: Desiccate at -20°C

Solubility & Usage Info:

Soluble to 1.20 mg/ml in water

This product is supplied as a lyophilized solid and may be very hard to visualize. Solutions should be made by adding solvent directly to the vial. The vial should then be vortexed vigorously to ensure the product has completely dissolved.

Net Peptide Content: 86.5% (Remaining weight made up of counterions and residual water).

Counter Ion: Acetate

Stability and Solubility Advice:

Some solutions can be difficult to obtain and can be encouraged by rapid stirring, sonication or gentle warming (in a 45-60°C water bath).

Peptides in solution are much less stable than in lyophilized form. This is especially true for peptides whose sequences contain amino acids such as Cys, Met, Trp, Asn, Gln, and N-terminal Glu.

Therefore we recommend storing peptides in solution for as short a time as possible. Avoid repeated freeze thaw cycles by dividing the peptide solution into aliquots and storing the aliquots at -20°C. Any portion of an aliquot unused after thawing should be discarded.

Peptides stored in solution can occasionally be susceptible to bacterial degradation. We recommend using sterile solutions or passing the peptide solution through a 0.2 µm filter to remove potential bacterial contamination whenever possible.

References:

Raynor et al (1993) Cloned somatostatin receptors: identification of subtype-selective peptides and demonstration of high affinity binding to linear peptides. *Mol.Pharmacol.* **43** 838. PMID: 8100350.

Hoyer et al (1994) Molecular pharmacology of somatostatin receptors. *Naunyn Schmiedebergs Arch.Pharmacol.* **350** 441. PMID: 7870182.

Hannon et al (2002) Drug design at peptide receptors. *Somatostatin receptor ligands. J.Mol.Neurosci.* **18** 15.

Caution - Not Fully Tested • Research Use Only • Not For Human or Veterinary Use

bio-techne.com

info@bio-techne.com

techsupport@bio-techne.com

North America

Tel: (800) 343 7475

China

info.cn@bio-techne.com

Tel: +86 (21) 52380373

Europe Middle East Africa

Tel: +44 (0)1235 529449

Rest of World

www.tocris.com/distributors

Tel: +1 612 379 2956