

Product Name: GM 6001

Catalog No.: 2983


Batch No.: 5

CAS Number: 142880-36-2

IUPAC Name: (2*R*)-*N*⁴-Hydroxy-*N*¹-[(1*S*)-1-(1*H*-indol-3-ylmethyl)-2-(methylamino)-2-oxoethyl]-2-(2-methylpropyl)butanediamide

1. PHYSICAL AND CHEMICAL PROPERTIES

Batch Molecular Formula: C₂₀H₂₈N₄O₄·½H₂O
Batch Molecular Weight: 397.47
Physical Appearance: White solid
Solubility: DMSO to 100 mM
Storage: Store at -20°C
Batch Molecular Structure:



2. ANALYTICAL DATA

TLC: R_f = 0.1 (Dichloromethane:Methanol [15:85])
HPLC: Shows >95.5% purity
¹H NMR: Consistent with structure
Mass Spectrum: Consistent with structure
Microanalysis:

	Carbon	Hydrogen	Nitrogen
Theoretical	60.44	7.35	14.1
Found	60.73	7.52	14.38

Caution - Not Fully Tested • Research Use Only • Not For Human or Veterinary Use

Product Name: GM 6001

Catalog No.: 2983

Batch No.: 5

CAS Number: 142880-36-2

IUPAC Name: (2R)-N⁴-Hydroxy-N¹-[(1S)-1-(1*H*-indol-3-ylmethyl)-2-(methylamino)-2-oxoethyl]-2-(2-methylpropyl)butanediamide

Description:

Broad spectrum MMP inhibitor. Reduces infarct volume following middle cerebral artery occlusion in an ischemic mouse model. Also inhibits human skin fibroblast collagenase (K_i = 0.4 nM).

Physical and Chemical Properties:


Batch Molecular Formula: C₂₀H₂₈N₄O₄ · ½H₂O

Batch Molecular Weight: 397.47

Physical Appearance: White solid

Minimum Purity: >95%

Batch Molecular Structure:



Storage: Store at -20°C

Solubility & Usage Info:

DMSO to 100 mM

Stability and Solubility Advice:

Some solutions can be difficult to obtain and can be encouraged by rapid stirring, sonication or gentle warming (in a 45-60°C water bath).

Information concerning product stability, particularly in solution, has rarely been reported and in most cases we can only offer a general guide. Our standard recommendations are:

SOLIDS: Provided storage is as stated on the product label and the vial is kept tightly sealed, the product can be stored for up to 6 months from date of receipt.

SOLUTIONS: We recommend that stock solutions, once prepared, are stored aliquoted in tightly sealed vials at -20°C or below and used within 1 month. Wherever possible solutions should be made up and used on the same day.

References:

Shichi et al (2011) Involvement of matrix metalloproteinase-mediated proteolysis of neural cell adhesion molecule in the development of cerebral ischemic neuronal damage. *J.Pharmacol.Exp.Ther.* **338** 701. PMID: 21602423.

Chao et al (2007) Leptin stimulates endothelin-1 expression via extracellular signal-regulated kinase by epidermal growth factor receptor transactivation in rat aortic smooth muscle cells. *Eur.J.Pharmacol.* **573** 49. PMID: 17678888.

Grobelny et al (1992) Inhibition of skin fibroblast collagenase, thermolysin, and *Pseudomonas aeruginosa* elastase by peptide hydroxamic acids. *Biochemistry* **31** 7152. PMID: 1322694.

Caution - Not Fully Tested • Research Use Only • Not For Human or Veterinary Use

bio-techne.com

info@bio-techne.com

techsupport@bio-techne.com

North America

Tel: (800) 343 7475

China

info.cn@bio-techne.com

Tel: +86 (21) 52380373

Europe Middle East Africa

Tel: +44 (0)1235 529449

Rest of World

www.tocris.com/distributors

Tel: +1 612 379 2956