

Certificate of Analysis

Print Date: Jul 13th 2022

www.tocris.com

Product Name: HEPES Catalog No.: 3173 Batch No.: 17

CAS Number: 7365-45-9 EC Number: 230-907-9

IUPAC Name: 4-(2-Hydroxyethyl)piperazine-1-ethanesulfonic acid

1. PHYSICAL AND CHEMICAL PROPERTIES

Batch Molecular Formula: C₈H₁₈N₂O₄S

Batch Molecular Weight: 238.3

Physical Appearance: White crystalline powder

Solubility: water to 1000 mM

Storage: Store at RT

Batch Molecular Structure:

HO ________SO₃H

2. ANALYTICAL DATA

CoA Purity (Assay Titration): 100.4%

www.tocris.com/distributors Tel:+1 612 379 2956



Product Information

Print Date: Jul 13th 2022

www.tocris.com

Product Name: HEPES Catalog No.: 3173 Batch No.: 17

CAS Number: 7365-45-9 EC Number: 230-907-9

IUPAC Name: 4-(2-Hydroxyethyl)piperazine-1-ethanesulfonic acid

Description:

HEPES is a multi purpose HEPES buffer used in cell culture and other biological research. Working pH range in aqueous solution: 6.8 - 8.2. Does not form complexes with metal ions. Used in cell culture media. For more information about how HEPES may be used, see our protocol: 3D Culture of Lung Alveolar Cells

Physical and Chemical Properties:

Batch Molecular Formula: C₈H₁₈N₂O₄S Batch Molecular Weight: 238.3

Physical Appearance: White crystalline powder

Minimum Purity: ≥99.5%

Batch Molecular Structure:

Storage: Store at RT

Solubility & Usage Info:

water to 1000 mM

Stability and Solubility Advice:

Some solutions can be difficult to obtain and can be encouraged by rapid stirring, sonication or gentle warming (in a 45-60°C water bath).

Information concerning product stability, particularly in solution, has rarely been reported and in most cases we can only offer a general guide. Our standard recommendations are:

SOLIDS: Provided storage is as stated on the product label and the vial is kept tightly sealed, the product can be stored for up to 6 months from date of receipt.

SOLUTIONS: We recommend that stock solutions, once prepared, are stored aliquoted in tightly sealed vials at -20°C or below and used within 1 month. Wherever possible solutions should be made up and used on the same day.

References:

Medzon and Gedies (1971) Substitution of 4-(2-hydroxyethyl)-1-piperazineethane sulfonic acid (HEPES) for bicarbonate in protein-free animal cell culture medium: application to vaccinia virus quantitation and fluorogenic acetylesterase assay in living LM cells. Canadian J.Microbiol. **17** 651.

Good et al (1966) Hydrogen ion buffers for biological research. Biochemistry 5 467. PMID: 5942950.