

Certificate of Analysis

Product Name: PAR 4 (1-6)

Catalog No.: 3494

Batch No.: 2

CAS Number: 225779-44-2

1. PHYSICAL AND CHEMICAL PROPERTIES

Batch Molecular Formula: C₂₈H₄₁N₇O₉
Batch Molecular Weight: 619.68
Physical Appearance: White lyophilised solid
Net Peptide Content: 76.1%
Counter Ion: TFA
Solubility: Soluble to 1 mg/ml in water
Storage: Store at -20°C
Peptide Sequence: Gly-Tyr-Pro-Gly-Gln-Val

2. ANALYTICAL DATA

HPLC: Shows 97.5% purity
Mass Spectrum: Consistent with structure

3. AMINO ACID ANALYSIS DATA

Amino Acid		Theoretical	Actual	Amino Acid		Theoretical	Actual
Ala				Lys			
Arg				Met			
Asx				Phe			
Cys				Pro	1.00		0.99
Glx	1.00		0.98	Ser			
Gly	2.00		2.01	Thr			
His				Trp			
Ile				Tyr	1.00		1.01
Leu				Val	1.00		1.00

Caution - Not Fully Tested • Research Use Only • Not For Human or Veterinary Use

Product Name: PAR 4 (1-6)

Catalog No.: 3494

Batch No.: 2

CAS Number: 225779-44-2

Description:

N-terminal fragment of protease-activated receptor 4 (PAR₄) that acts as a PAR₄ agonist. Induces aggregation of human platelets.

Physical and Chemical Properties:

Batch Molecular Formula: C₂₈H₄₁N₇O₉

Batch Molecular Weight: 619.68

Physical Appearance: White lyophilised solid

Peptide Sequence:

Gly-Tyr-Pro-Gly-Gln-Val

Storage: Store at -20°C

Solubility & Usage Info:

Soluble to 1 mg/ml in water

This product is supplied as a lyophilized solid and may be very hard to visualize. Solutions should be made by adding solvent directly to the vial. The vial should then be vortexed vigorously to ensure the product has completely dissolved

Net Peptide Content: 76.1% (Remaining weight made up of counterions and residual water).

Counter Ion: TFA

Stability and Solubility Advice:

Some solutions can be difficult to obtain and can be encouraged by rapid stirring, sonication or gentle warming (in a 45-60°C water bath).

Peptides in solution are much less stable than in lyophilized form. This is especially true for peptides whose sequences contain amino acids such as Cys, Met, Trp, Asn, Gln, and N-terminal Glu.

Therefore we recommend storing peptides in solution for as short a time as possible. Avoid repeated freeze thaw cycles by dividing the peptide solution into aliquots and storing the aliquots at -20°C. Any portion of an aliquot unused after thawing should be discarded.

Peptides stored in solution can occasionally be susceptible to bacterial degradation. We recommend using sterile solutions or passing the peptide solution through a 0.2 µm filter to remove potential bacterial contamination whenever possible.

References:

Xu et al (1998) Cloning and characterization of human protease-activated receptor 4. *Proc.Natl.Acad.Sci.USA* **95** 6642. PMID: 9618465.

Andersen et al (1999) Protease-activated receptor 1 is the primary mediator of thrombin-stimulated platelet procoagulant activity. *Proc.Natl.Acad.Sci.U.S.A.* **96** 11189. PMID: 10500152.

Caution - Not Fully Tested • Research Use Only • Not For Human or Veterinary Use

bio-techne.com

info@bio-techne.com

techsupport@bio-techne.com

North America

Tel: (800) 343 7475

China

info.cn@bio-techne.com

Tel: +86 (21) 52380373

Europe Middle East Africa

Tel: +44 (0)1235 529449

Rest of World

www.tocris.com/distributors

Tel: +1 612 379 2956