

Certificate of Analysis

Print Date: Jan 16th 2016

www.tocris.com

Product Name: IWP 4 Catalog No.: 5214 Batch No.: 1

CAS Number: 686772-17-8

IUPAC Name: N-(6-Methyl-2-benzothiazolyl)-2-[(3,4,6,7-tetrahydro-3-(2-methoxyphenyl)-4-oxothieno[3,2-d]pyrimidin-2-yl)thio]-

acetamide

1. PHYSICAL AND CHEMICAL PROPERTIES

Batch Molecular Formula: $C_{23}H_{20}N_4O_3S_3$

Batch Molecular Weight: 496.62

Physical Appearance: Off White solid

Solubility: DMSO to 10 mM with sonication

Storage: Store at +4°C

Batch Molecular Structure:

2. ANALYTICAL DATA

TLC: $R_f = 0.5$ (Dichloromethane:Methanol [9:1])

HPLC: Shows 99.4% purity

¹H NMR: Consistent with structure

Mass Spectrum: Consistent with structure

Microanalysis: Carbon Hydrogen Nitrogen

Theoretical 55.62 4.06 11.28 Found 55.48 3.99 11.15



Product Information

Print Date: Jan 16th 2016 www.tocris.com

Product Name: IWP 4 Catalog No.: 5214 Batch No.: 1

CAS Number: 686772-17-8

IUPAC Name: N-(6-Methyl-2-benzothiazolyl)-2-[(3,4,6,7-tetrahydro-3-(2-methoxyphenyl)-4-oxothieno[3,2-d]pyrimidin-2-yl)thio]-

acetamide

Description:

Potent inhibitor of Wnt/ β -catenin signaling (IC₅₀ = 25 nM). Has minimal effect on Notch and Hedgehog signaling pathways. Induces differentiation of cardiomyocytes from human ESCs and iPSCs.

Physical and Chemical Properties:

Batch Molecular Formula: $C_{23}H_{20}N_4O_3S_3$ Batch Molecular Weight: 496.62 Physical Appearance: Off White solid

Minimum Purity: >98%

Batch Molecular Structure:

Storage: Store at +4°C

Solubility & Usage Info:

DMSO to 10 mM with sonication

Stability and Solubility Advice:

Some solutions can be difficult to obtain and can be encouraged by rapid stirring, sonication or gentle warming (in a 45-60°C water bath).

Information concerning product stability, particularly in solution, has rarely been reported and in most cases we can only offer a general guide. Our standard recommendations are:

SOLIDS: Provided storage is as stated on the product label and the vial is kept tightly sealed, the product can be stored for up to 6 months from date of receipt.

SOLUTIONS: We recommend that stock solutions, once prepared, are stored aliquoted in tightly sealed vials at -20°C or below and used within 1 month. Wherever possible solutions should be made up and used on the same day.

References:

Chen et al (2009) Small molecule-mediated disruption of Wnt-dependent signaling in tissue regeneration and cancer. Nat.Chem.Biol. 5 100. PMID: 19125156.

Lian et al (2012) Robust cardiomyocyte differentiation from human pluripotent stem cells via temporal modulation of canonical Wnt signaling. Proc.Natl.Acad.Sci.U.S.A. 109 E1848-57. PMID: 22645348.

Narytnyk et al (2014) Differentiation of human epidermal neural crest stem cells (hEPI-NCSC) into virtually homogenous populations of dopaminergic neurons. Stem Cell Rev. 10 316. PMID: 24399192.

Tel: +44 (0)1235 529449 Tel:+1 612 379 2956