

# **Certificate of Analysis**

Print Date: Apr 3<sup>rd</sup> 2020

Batch No.: 10

www.tocris.com

Catalog No.: 5225

**Product Name: Ponceau S Staining Solution** 

CAS Number: 6226-79-5

IUPAC Name: 3-Hydroxy-4-[2-[2-sulfo-4-[2-(4-sulfophenyl)diazenyl]phenyl]diazenyl]-2,7-naphthalenedisulfonic acid tetrasodium

salt

## 1. PHYSICAL AND CHEMICAL PROPERTIES

**Batch Molecular Formula:**  $C_{22}H_{12}N_4Na_4O_{13}S_4$ 

**Batch Molecular Weight:** 760.57 **Physical Appearance:** Red liquid

**Solubility:** Soluble in 5% acetic acid/water (supplied as a 0.1% w/v solution)

Storage: Store at RT

**Batch Molecular Structure:** 

## 2. ANALYTICAL DATA

Tel: +44 (0)1235 529449 www.tocris.com/distri



## **Product Information**

Print Date: Apr 3<sup>rd</sup> 2020

www.tocris.com

Product Name: Ponceau S Staining Solution Catalog No.: 5225 Batch No.: 10

CAS Number: 6226-79-5 EC Number:

IUPAC Name: 3-Hydroxy-4-[2-[2-sulfo-4-[2-(4-sulfophenyl)diazenyl]phenyl]diazenyl]-2,7-naphthalenedisulfonic acid tetrasodium

salt

#### **Description:**

Stain used to detect protein bands after Western blotting.

## **Physical and Chemical Properties:**

Batch Molecular Formula:  $C_{22}H_{12}N_4Na_4O_{13}S_4$ 

Batch Molecular Weight: 760.57 Physical Appearance: Red liquid

## **Batch Molecular Structure:**

Storage: Store at RT

## Solubility & Usage Info:

Soluble in 5% acetic acid/water (supplied as a 0.1% w/v solution)

### Stability and Solubility Advice:

Some solutions can be difficult to obtain and can be encouraged by rapid stirring, sonication or gentle warming (in a 45-60°C water bath).

Information concerning product stability, particularly in solution, has rarely been reported and in most cases we can only offer a general guide. Our standard recommendations are:

SOLIDS: Provided storage is as stated on the product label and the vial is kept tightly sealed, the product can be stored for up to 6 months from date of receipt.

SOLUTIONS: We recommend that stock solutions, once prepared, are stored aliquoted in tightly sealed vials at -20°C or below and used within 1 month. Wherever possible solutions should be made up and used on the same day.