

Product Name: Echinomycin

Catalog No.: 5520


Batch No.: 6

CAS Number: 512-64-1

IUPAC Name: *N*-(2-Quinoxalinylicarbonyl)-*O*-[*N*-(2-quinoxalinylicarbonyl)-*D*-seryl-*L*-alanyl-3-mercapto-*N,S*-dimethylcysteinyl-*N*-methyl-*L*-valyl]-*D*-seryl-*L*-alanyl-*N*-methylcysteinyl-*N*-methyl-*L*-valine-(81)-lactone-cyclic (37)-thioether

1. PHYSICAL AND CHEMICAL PROPERTIES

Batch Molecular Formula:	C ₅₁ H ₆₄ N ₁₂ O ₁₂ S ₂
Batch Molecular Weight:	1101.26
Physical Appearance:	White solid
Solubility:	DMSO to 5 mg/ml
Storage:	Store at -20°C
Batch Molecular Structure:	



2. ANALYTICAL DATA

HPLC:	Shows 98.9% purity
Mass Spectrum:	Consistent with structure

Caution - Not Fully Tested • Research Use Only • Not For Human or Veterinary Use

bio-techne.com

info@bio-techne.com
techsupport@bio-techne.com

North America

Tel: (800) 343 7475

China

info.cn@bio-techne.com
Tel: +86 (21) 52380373

Europe Middle East Africa

Tel: +44 (0)1235 529449

Rest of World

www.tocris.com/distributors
Tel: +1 612 379 2956

Product Name: Echinomycin

Catalog No.: 5520

Batch No.: 6

CAS Number: 512-64-1

IUPAC Name: *N*-(2-Quinoxalinylicarbonyl)-*O*-[*N*-(2-quinoxalinylicarbonyl)-*D*-seryl-L-alanyl-3-mercapto-*N,S*-dimethylcysteinyl-*N*-methyl-L-valyl]-*D*-seryl-L-alanyl-*N*-methylcysteinyl-*N*-methyl-L-valine-(81)-lactone-cyclic (37)-thioether

Description:

Echinomycin is a highly potent and selective HIF-1 α inhibitor (IC₅₀ = 29.4 pM). Selectively inhibits HIF-1 binding to the VEGF promoter without affecting the binding of AP-1 or NF- κ B. Inhibits colony formation of cancer stem cells (CSC) with a 100-fold selectivity over normal hematopoietic progenitor cells. Eradicates mouse lymphomas and human AML xenografts by eliminating CSCs.

Physical and Chemical Properties:


Batch Molecular Formula: C₅₁H₆₄N₁₂O₁₂S₂

Batch Molecular Weight: 1101.26

Physical Appearance: White solid

Minimum Purity: \geq 98%

Batch Molecular Structure:



Storage: Store at -20°C

Solubility & Usage Info:

DMSO to 5 mg/ml

This product is supplied as a lyophilized solid and may be very hard to visualize. Solutions should be made by adding solvent directly to the vial. The vial should then be vortexed vigorously to ensure the product has completely dissolved.

Stability and Solubility Advice:

Some solutions can be difficult to obtain and can be encouraged by rapid stirring, sonication or gentle warming (in a 45-60°C water bath).

Information concerning product stability, particularly in solution, has rarely been reported and in most cases we can only offer a general guide. Our standard recommendations are:

SOLIDS: Provided storage is as stated on the product label and the vial is kept tightly sealed, the product can be stored for up to 6 months from date of receipt.

SOLUTIONS: We recommend that stock solutions, once prepared, are stored aliquoted in tightly sealed vials at -20°C or below and used within 1 month. Wherever possible solutions should be made up and used on the same day.

References:

Kwon et al (2011) Physical and functional interactions between Runx2 and HIF-1 α induce vascular endothelial growth factor gene expression. *J.Cell.Biochem.* **112** 3582. PMID: 21793044

Wang et al (2011) Targeting HIF1 α eliminates cancer stem cells in hematological malignancies. *Cell Stem Cell* **8** 399. PMID: 21474104.

Kong et al. (2005) Echinomycin, a cyclic inhibitor of hypoxia-inducible transcription factor HIF-1 α , inhibits growth of cancer cells. *Cell* **65** 9047.