

Certificate of Analysis

Print Date: Dec 4th 2025

www.tocris.com

Product Name: PDD 00017273 Catalog No.: 5952 Batch No.: 3

CAS Number: 1945950-21-9

IUPAC Name: 1-[(1,3-Dimethyl-1*H*-pyrazol-5-yl)methyl]-1,2,3,4-tetrahydro-*N*-(1-methylcyclopropyl)-3-[(2-methyl-5-thiazolyl)methyl]-

2,4-dioxo-6-quinazolinesulfonamide

1. PHYSICAL AND CHEMICAL PROPERTIES

Batch Molecular Formula: $C_{23}H_{26}N_6O_4S_2$

Batch Molecular Weight: 514.62

Physical Appearance: White solid

Solubility: DMSO to 100 mM Storage: Store at -20°C

Batch Molecular Structure:

2. ANALYTICAL DATA

HPLC: Shows 99.2% purity

¹H NMR: Consistent with structure

Mass Spectrum: Consistent with structure

Microanalysis: Carbon Hydrogen Nitrogen

Theoretical 53.68 5.09 16.33 Found 53.07 5.09 16.13

Caution - Not Fully Tested • Research Use Only • Not For Human or Veterinary Use



Product Information

Print Date: Dec 4th 2025

www.tocris.com

Product Name: PDD 00017273 Catalog No.: 5952 Batch No.: 3

CAS Number: 1945950-21-9

IUPAC Name: 1-[(1,3-Dimethyl-1*H*-pyrazol-5-yl)methyl]-1,2,3,4-tetrahydro-*N*-(1-methylcyclopropyl)-3-[(2-methyl-5-thiazolyl)methyl]-

2,4-dioxo-6-quinazolinesulfonamide

Description:

PDD 00017273 is a potent and selective poly (ADP ribose) glycohydrolase (PARG) inhibitor (IC $_{50}$ = 26 nM). Exhibits >350-fold selectivity for PARG over a panel of ion channels, enzymes and receptors, including PARP1 and ARH3. Maintains PAR chains and induces DNA double-stranded breaks in cells following DNA damage. Decreases colony formation of ZR-75-1 BRCA1 WT cells and inhibits cancer cell survival. Cell permeable.

Physical and Chemical Properties:

Batch Molecular Formula: C23H26N6O4S2

Batch Molecular Weight: 514.62 Physical Appearance: White solid

Minimum Purity: ≥98%

Batch Molecular Structure:

Storage: Store at -20°C

Solubility & Usage Info:

DMSO to 100 mM

When purchased as a 1mg unit, this product is supplied in lyophilized form. It may appear as a solid, gel or film and be very hard to visualize. Solutions should be made by adding solvent directly to the vial. The vial should then be vortexed vigorously to ensure the product has completely dissolved.

Stability and Solubility Advice:

Some solutions can be difficult to obtain and can be encouraged by rapid stirring, sonication or gentle warming (in a 45-60°C water bath).

Information concerning product stability, particularly in solution, has rarely been reported and in most cases we can only offer a general guide. *Unless contradicted by product-specific protocols or instructions, our standard recommendations apply:

SOLIDS: Provided storage is as stated on the product label and the vial is kept tightly sealed, the product can be stored for up to 6 months from date of receipt.

SOLUTIONS: We recommend that stock solutions, once prepared, are stored aliquoted in tightly sealed vials at -20°C or below and used within 1 month. Wherever possible solutions should be made up and used on the same day.

References:

Kliza (2021) Reading ADP-ribosylation signaling using chemical biology and interaction proteomics. Mol. Cell 81 4552. PMID: 34551281.

Houl *et al* (2019) Selective small molecule PARG inhibitor causes replication fork stalling and cancer cell death. Nat.Commun. *10* 5654. PMID: 31827085.

Gravells et al (2017) Specific killing of DNA damage-response deficient cells with inhibitor of poly(ADP-ribose) glycohydrolase. DNA Repair 52 81. PMID: 28254358.

Caution - Not Fully Tested • Research Use Only • Not For Human or Veterinary Use