



Certificate of Analysis

www.tocris.com

Product Name: PAMP-12 (human, porcine) Catalog No.: 6551 Batch No.: 4

CAS Number: 196305-05-2

1. PHYSICAL AND CHEMICAL PROPERTIES

Batch Molecular Formula: C₇₇H₁₁₉N₂₅O₁₄

Batch Molecular Weight: 1618.95

Physical Appearance: White lyophilised solid

Net Peptide Content: 65.9% Counter Ion: TFA

Solubility: Soluble to 1 mg/ml in water

Storage: Store at -20°C

Peptide Sequence: Phe-Arg-Lys-Trp-Asn-Lys-Trp-Ala-Leu-

Ser-Arg-NH2

2. ANALYTICAL DATA

HPLC: Shows 97.9% purity

Mass Spectrum: Consistent with structure

3. AMINO ACID ANALYSIS DATA

Amino Acid	Theoretical	Actual	Amino Acid	Theoretical	Actual
Ala	1.00	0.97	Lys	3.00	3.05
Arg	2.00	1.98	Met		
Asx	1.00	1.05	Phe	1.00	1.00
Cys			Pro		
Glx			Ser	1.00	0.83
Gly			Thr		
His			Trp	2.00	1.26
lle			Tyr		
Leu	1.00	0.94	Val		

Caution - Not Fully Tested • Research Use Only • Not For Human or Veterinary Use

Tel:+1 612 379 2956



Product Information

Print Date: Mar 12th 2024

www.tocris.com

4

Product Name: PAMP-12 (human, porcine)

CAS Number: 196305-05-2

Description:

PAMP-12 (human, porcine) is a potent endogenous peptide agonist of Mas related GPR X2 (MRGPRX2, EC_{50} = 57.2 nM). Corresponds to amino acids 9 to 20 of proadrenomedullin.

Physical and Chemical Properties:

Batch Molecular Formula: $C_{77}H_{119}N_{25}O_{14}$ Batch Molecular Weight: 1618.95

Physical Appearance: White lyophilised solid

Peptide Sequence:

Phe-Arg-Lys-Lys-Trp-Asn-Lys-Trp-Ala-Leu-Ser-Arg-NH2 Storage: Store at -20°C

Solubility & Usage Info:

Soluble to 1 mg/ml in water

This product is supplied in lyophilized form. It may appear as a solid, gel or film and be very hard to visualize. Solutions should be made by adding solvent directly to the vial. The vial should then be vortexed vigorously to ensure the product has completely dissolved.

Catalog No.: 6551

Net Peptide Content: 65.9% (Remaining weight made up of counterions and residual water).

Counter Ion: TFA

Stability and Solubility Advice:

Some solutions can be difficult to obtain and can be encouraged by rapid stirring, sonication or gentle warming (in a 45-60°C water bath).

Peptides in solution are much less stable than in lyophilized form. This is especially true for peptides whose sequences contain amino acids such Cys, Met,Trp, Asn, Gln, and N-terminal Glu.

Therefore we recommend storing peptides in solution for as short a time as possible. Avoid repeated freeze thaw cycles by dividing the peptide solution into aliquots and storing the aliquots at -20°C. Any portion of an aliquot unused after thawing should be discarded.

Peptides stored in solution can occasionally be susceptible to bacterial degradation. We recommend using sterile solutions or passing the peptide solution through a 0.2 μ m filter to remove potential bacterial contamination whenever possible.

References:

Lansu *et al* (2017) *In silico* design of novel probes for the atypical opioid receptor MRGPRX2. Nat.Chem.Biol. *13* 529. PMID: 28288109. **Kamohara** *et al* (2005) Identification of MrgX2 as a human G-protein-coupled receptor for proadrenomedullin N-terminal peptides. Biochem.Biophys.Res.Commun. *330* 1146. PMID: 15823563.

Caution - Not Fully Tested • Research Use Only • Not For Human or Veterinary Use