



Certificate of Analysis

www.tocris.com

Product Name: Biotin-11-dUTP Catalog No.: 6571 Batch No.: 6

oxohexyl]amino]-1-propen-1-yl]uridine 5'-(tetra(triethylammonium) triphosphate)

1. PHYSICAL AND CHEMICAL PROPERTIES

Batch Molecular Formula: $C_{28}H_{45}N_6O_{17}P_3S.4(C_2H_5)_3N$

Batch Molecular Weight: 1267.43

Physical Appearance: Clear solution

Solubility: 10mM Tris-HCl buffer (supplied pre-dissolved - 1mM) to 1 mM

Storage: Store at -20°C

Batch Molecular Structure:

2. ANALYTICAL DATA

HPLC: Shows 100.0% purity

Mass Spectrum: Consistent with structure



Product Information

Print Date: Jun 24th 2022

www.tocris.com

Product Name: Biotin-11-dUTP Catalog No.: 6571 Batch No.: 6

oxohexyl]amino]-1-propen-1-yl]uridine 5'-(tetra(triethylammonium) triphosphate)

Description:

Biotin-11-dUTP is a biotin-labeled dUTP. Commonly used in PCR, nick translation, and reverse transcription. Also frequently used in apoptosis assays. Biotin-labeled DNA may be detected with streptavidin-HRP conjugates.

Physical and Chemical Properties:

Batch Molecular Formula: $C_{28}H_{45}N_6O_{17}P_3S.4(C_2H_5)_3N$

Batch Molecular Weight: 1267.43 Physical Appearance: Clear solution

Minimum Purity: ≥95%

Batch Molecular Structure:

Storage: Store at -20°C

Solubility & Usage Info:

10mM Tris-HCl buffer (supplied pre-dissolved - 1mM) to 1 mM This product is supplied dissolved in 10 mM Tris-HCl buffer at a concentration of 1 mM.

Stability and Solubility Advice:

Some solutions can be difficult to obtain and can be encouraged by rapid stirring, sonication or gentle warming (in a 45-60°C water bath).

Information concerning product stability, particularly in solution, has rarely been reported and in most cases we can only offer a general guide. Our standard recommendations are:

SOLIDS: Provided storage is as stated on the product label and the vial is kept tightly sealed, the product can be stored for up to 6 months from date of receipt.

SOLUTIONS: We recommend that stock solutions, once prepared, are stored aliquoted in tightly sealed vials at -20°C or below and used within 1 month. Wherever possible solutions should be made up and used on the same day.

References:

Jun-Hyuk Choi et al (2015) An integrated approach for analysis of the DNA damage response in mammalian cells J.Biol.Chem. 290 2881. PMID: 26438822.

Caution - Not Fully Tested • Research Use Only • Not For Human or Veterinary Use