



Certificate of Analysis

www.tocris.com

Product Name: 8-Azaadenosine Catalog No.: 6868 Batch No.: 2

CAS Number: 10299-44-2

IUPAC Name: $3-\beta$ -D-Ribofuranosyl-3*H*-1,2,3-triazolo[4,5-*d*]pyrimidin-7-amine

1. PHYSICAL AND CHEMICAL PROPERTIES

Batch Molecular Formula: $C_9H_{12}N_6O_4.^3/_4H_2O$

Batch Molecular Weight: 281.74

Physical Appearance: White solid

Solubility: DMSO to 100 mM Storage: Store at -20°C

Batch Molecular Structure:

2. ANALYTICAL DATA

Microanalysis:

HPLC: Shows 100.0% purity

¹H NMR: Consistent with structure

Mass Spectrum: Consistent with structure

Carbon Hydrogen Nitrogen

Theoretical 38.37 4.83 29.83 Found 37.95 4.9 29.57

Caution - Not Fully Tested • Research Use Only • Not For Human or Veterinary Use



Product Information

Print Date: Feb 24th 2020

www.tocris.com

Product Name: 8-Azaadenosine Catalog No.: 6868 Batch No.: 2

CAS Number: 10299-44-2

IUPAC Name: $3-\beta$ -D-Ribofuranosyl-3*H*-1,2,3-triazolo[4,5-*d*]pyrimidin-7-amine

Description:

ADAR1 (adenosine deaminases acting on double-stranded RNA) inhibitor. Reduces A-to-I editing activity in a leukemia cell line, restores let-7 and inhibits leukemia stem cells self-renewal in vitro.

Physical and Chemical Properties:

Batch Molecular Formula: C₉H₁₂N₆O₄.³/₄H₂O

Batch Molecular Weight: 281.74 Physical Appearance: White solid

Minimum Purity: ≥98%

Batch Molecular Structure:

Storage: Store at -20°C

Solubility & Usage Info:

DMSO to 100 mM

Stability and Solubility Advice:

Some solutions can be difficult to obtain and can be encouraged by rapid stirring, sonication or gentle warming (in a 45-60°C water bath).

Information concerning product stability, particularly in solution, has rarely been reported and in most cases we can only offer a general guide. Our standard recommendations are:

SOLIDS: Provided storage is as stated on the product label and the vial is kept tightly sealed, the product can be stored for up to 6 months from date of receipt.

SOLUTIONS: We recommend that stock solutions, once prepared, are stored aliquoted in tightly sealed vials at -20°C or below and used within 1 month. Wherever possible solutions should be made up and used on the same day.

References:

Zhang and Slack *et al* (2016) ADARs edit microRNAs to promote leukemic stem cell activity. Cell Stem Cell **19** 141. PMID: 27494666. **Zipeto** *et al* (2016) ADAR1 activation drives leukemia stem cell self-renewal by impairing let-7 biogenesis. Cell Stem Cell **19** 177. PMID: 27292188.