

Certificate of Analysis

Print Date: Oct 4th 2024

Batch No.: 57

www.tocris.com

Catalog No.: 1254

Product Name: Y-27632 dihydrochloride

CAS Number: 129830-38-2

IUPAC Name: trans-4-[(1R)-1-Aminoethyl]-N-4-pyridinylcyclohexanecarboxamide dihydrochloride

1. PHYSICAL AND CHEMICAL PROPERTIES

Batch Molecular Formula: C₁₄H₂₁N₃O.2HCl.³/₄H₂O

Batch Molecular Weight: 333.77 **Physical Appearance:** White solid

Solubility: water to 100 mM

DMSO to 100 mM

Storage: Desiccate at RT

Batch Molecular Structure:

2. ANALYTICAL DATA

HPLC: Shows 99.8% purity

Chiral HPLC: Shows 99.9% purity

¹H NMR: Consistent with structure

Mass Spectrum: Consistent with structure

Microanalysis: Carbon Hydrogen Nitrogen Chlorine

Theoretical 50.37 7.4 12.59 21.24 Found 49.79 7.37 12.26 20.66

Product Information

Print Date: Oct 4th 2024

57

www.tocris.com

Product Name: Y-27632 dihydrochloride Catalog No.: 1254

CAS Number: 129830-38-2

IUPAC Name: trans-4-[(1R)-1-Aminoethyl]-N-4-pyridinylcyclohexanecarboxamide dihydrochloride

Description:

Y-27632 dihydrochloride is a selective ROCK inhibitor (K_i values are 0.14-0.22, 0.3, 25, 26 and > 250 μ M for ROCK1 (p160 ROCK), ROCK2, PKA, PKC and MLCK respectively). Also inhibits PRK2 (IC_{50} = 600 nM). Increases survival rate of human embryonic stem (hES) cells and iPSC undergoing cryopreservation. Used in combination with CHIR 99021, RepSox, Forskolin, SP 600125, Go 6983 and VPA to reprogram fibroblasts to mature neurons. Also optimizes naive human pluripotent stem cell growth and viability following naive cell derivation from primed ESCs and iPSCs using naive human stem cell medium (NHSM). Used as component of growth media for u... Please see product specific page on www.tocris.com for full description.

Physical and Chemical Properties:

Batch Molecular Formula: C₁₄H₂₁N₃O.2HCl.³/₄H₂O

Batch Molecular Weight: 333.77 Physical Appearance: White solid

Minimum Purity: ≥98%

Batch Molecular Structure:

Storage: Desiccate at RT

Solubility & Usage Info:

water to 100 mM DMSO to 100 mM

When purchased as a 1mg unit, this product is supplied in lyophilized form. It may appear as a solid, gel or film and be very hard to visualize. Solutions should be made by adding solvent directly to the vial. The vial should then be vortexed vigorously to ensure the product has completely dissolved.

Stability and Solubility Advice:

Some solutions can be difficult to obtain and can be encouraged by rapid stirring, sonication or gentle warming (in a 45-60°C water bath).

Information concerning product stability, particularly in solution, has rarely been reported and in most cases we can only offer a general guide. *Unless contradicted by product-specific protocols or instructions, our standard recommendations apply:

SOLIDS: Provided storage is as stated on the product label and the vial is kept tightly sealed, the product can be stored for up to 6 months from date of receipt.

SOLUTIONS: We recommend that stock solutions, once prepared, are stored aliquoted in tightly sealed vials at -20°C or below and used within 1 month. Wherever possible solutions should be made up and used on the same day.

References:

Schafer (2023) An in vivo neuroimmune organoid model to study human microglia phenotypes. Cell 186 2111. PMID: 37172564.

Santos et al (2019) Urothelial organoids originating from Cd49fhigh mouse stem cells display Notch-dependent differentiation capacity. Nat.Commun. 10 4407. PMID: 31562298.

Wimmer et al (2019) Human blood vessel organoids as a model of diabetic vasculopathy. Nature 565 505. PMID: 30651639.

www.tocris.com/distributors Tel:+1 612 379 2956